



Q-Sys AG

Systeme zur Qualitäts- und Kostensteuerung im Gesundheitswesen



Bibliographie zum RAI-System

Grundlagen

- Gilgen R, Garms-Homolova V. (1995)
Resident Assessment Instrument (RAI): A system for client evaluation and documentation in long-term care--an overview
Z Gerontol Geriatr 28(1) 25-28
- Hawes C, Morris JN, Phillips CD et al. (1995).
Reliability estimates for the Minimum Data Set for nursing home resident assessment and care screening.
Gerontologist 35(2) 172-178
- Morris JN, Hawes C, Fries BE et al. (1990).
Designing the national Resident Assessment Instrument for nursing homes.
Gerontologist 30(3) 293-307
- Morris JN, Nonemaker S, Murphy K et al. (1997).
A commitment to change: revision of HCFA's RAI.
J Am Geriatr Soc 45(8) 1011-1016

Evaluation

- Fries, B. E., Hawes, C., Morris, J. N. et al. (1997).
Effect of the national Resident Assessment Instrument on selected health conditions and problems.
J Am Geriatr Soc 45(8) 994-1001
- Hawes, C., Morris, J.N., Phillips C.D. et al. (1997).
Development of the nursing home Resident Assessment Instrument in the USA.
Age Ageing, 26 (Suppl.) 219-225
- Marek KD, Rantz MJ, Fagin CM et al. (1996).
OBRA '87 - Has it resulted in better quality of care?
J Gerontol Nurs (10) 28-36
- Mor V, Intrator O, Fries BE et al. (1997).
Changes in hospitalization associated with introducing the Resident Assessment Instrument.
J Am Geriatr Soc 45(8) 1002-1010
- Ouslander, J. G. (1997).
The Resident Assessment Instrument (RAI): promise and pitfalls.
J Am Geriatr Soc 45(8) 975-976

- Phillips CD, Morris JN, Hawes C et al. (1997).
Association of the Resident Assessment Instrument (RAI) with changes in function, cognition and psychosocial status.
J Am Geriatr Soc 45(8) 986-993
- Vladeck, B. (1996).
The past, present, and the future of nursing home quality.
JAMA 275(6) 425

Im RAI-NH verwendete Skalen

- Beck AM, Ovesen L, Schroll M (2001)
Validation of the RAI triggers in the detection of under-nutrition.
Age Ageing 30(2) 161-165
- Burrows AB, Morris JN, Simon SE et al. (2000).
Development of a Minimum Data Set-based depression rating scale for use in nursing homes.
Age Ageing 29(2) 165-172
- Fries BE, Simon SE, Morris JN et al. (2001)
Pain in U.S. nursing homes: validating a pain scale for the Minimum Data Set.
Gerontologist 41(2) 173-179
- Morris JN, Fries BE, Mehr DR et al. (1994).
MDS Cognitive Performance Scale.
J Gerontol 49A(4) M174-M182

Qualität, Qualitätsindikatoren

- Arling G, Karon SL, Sainfort F et al. (1997).
Risk adjustment of nursing home quality indicators.
Gerontologist 37(6) 757-766
- Morris JN, Moore T, Mor V et al. (2002).
Validation of long-term and post-acute care quality indicators (final draft report version 2).
Cambridge, Rhode Island
- Phillips CD, Zimmerman D, Bernabei R et al. (1997).
Using the Resident Assessment Instrument for quality enhancement in nursing homes.
Age Ageing 26 (Suppl) 277-281
- Rantz MJ, Hicks L, Petroski GF et al. (2004).
Stability and sensitivity of nursing home quality indicators.
J Gerontology 59A(1) M79-M82

- Rantz MJ, Mehr DR, Conn VS et al. (2002).
Assessing quality of nursing home care: the foundation for improving resident outcomes.
J Nurs Care Qual 10(4) 1-9
- Rantz MJ, Petroski GF, Madsen RW et al. (2000).
Setting thresholds for quality indicators derived from MDS data for nursing home quality improvement reports: an update.
Jt Comm J Qual Improv 26(2) 101-110
- Rantz MJ, Popejoy L, Mehr DR et al. (1997).
Verifying nursing home care quality using Minimum Data Set quality indicators and other quality measures.
J Nurs Care Qual 12(2) 54-62
- Rantz MJ, Popejoy L, Petroski GF et al. (2001).
Randomized clinical trial of a quality improvement intervention in nursing homes.
Gerontologist 41(4) 525-538
- Zimmerman DR, Karon SL, Arling G et al. (1995).
The development and testing of nursing home quality indicators.
Health Care Finance Rev 16(4) 107-127

Pflegeaufwandgruppen (RUGs)

- Carpenter GI, Main A, Turner GF (1995).
Casemix for the elderly inpatient: Resource Utilization Groups (RUGs) validation project. Casemix for the elderly inpatient working group.
Age Ageing 24(1) 5-13
- Carpenter GI, Turner GF, Fowler RW (1997).
Casemix for inpatient care of elderly people: rehabilitation and post-acute care.
Age Ageing 26(2) 123-131
- Fries BE, Schneider DP, Foley WJ et al. (1994).
Refining a case-mix measure for nursing homes: resource utilization
Med care 32(7) 668-685
- Ikegami N, Fries BE, Takagi Y et al. (1994).
Applying RUG-III in Japanese long-term care facilities.
Gerontologist 34(5) 628-639
- Mehr DR, Fries BE (1995).
Resource use on Alzheimer's special care units.
Gerontologist 35(2) 179-184
- White C, Pizer SD, White AJ (2002).
Assessing the RUG-III resident classification system for skilled nursing facilities.
Health Care Financ Rev 24(2) 7-15

Pflegedokumentation

- Wipp M, Buschkämper R, Kamm J (2004).
Entbürokratisierung der Pflegedokumentation.
Projektbericht Bayer. Staatsmin. Arb. + Sozialordnung 06.02.2004
URL: <http://www.stmas.bayern.de/pflege/stationaer/entbuero.htm#bericht>

RAI-Home Care

- Bjorkgren MA, Fries BE, Shugarman LR (2000).
A RUG-III case-mix system for home care.
Can J Aging 19(Suppl. 2) 106-125
- Landi F, Gambassi G, Pola R et al. (1999).
Impact of integrated home care services on hospital use.
J Am Geriatr Soc 47(12) 1430-1434
- Landi F, Onder G, Tua E et al. (2001).
Impact of a new assessment system, the MDS-HC, on function and hospitalization of homebound older people: a controlled clinical trial.
J Am Geriatr Soc 49(10) 1288-1293
- Landi F, Tua E, Onder G et al. (2000).
Minimum Data Set for home care: a valid instrument to assess frail older people living in the community.
Med Care 38(12) 1184-1190
- Morris JN, Fries BE, Steel K et al. (1997).
Comprehensive clinical assessment in community setting: applicability of the MDS-HC.
J Am Geriatr Soc 45(8) 1017-1024

Japan

- Yamada Y, Ikegami N (2003).
Preventive home visits for community-dwelling frail elderly people based on Minimum Data Set-Home Care: Randomized controlled trial
Geriatr gerontol int 3(3) 236-242